

Table 1 Suppl. Primer sequences of programmed cell death (PCD) relative genes for reverse transcription quantitative PCR.

Gene	Forward primer (5'→3')	Reverse primer (5'→3')
<i>β-actin</i>	AGTTTGGTTGATGTGGGAGAC	TGGCTGAACCCGAGATGAT
<i>LcMC-1-like</i>	CACAGCGTTTCGTCATAGCC	GTTGAGAGGTTGGGGTTTCC
<i>LcBAD</i>	TCTCGCTACTCTGGTCTT	ATCCTCAGGGGCATCT
<i>LcBI-1</i>	TGGAAGGAGTTCATCG	CTCGTGCCTCACAACT
<i>LcDAD-1</i>	CTTGTGTTGGGACAGCAGTT	CTACCGTGTTCTACATTCA
<i>LcPirin</i>	TCATCCACATAGAGGGTT	TTGTTCTGCTGGCATTTC
<i>LcS-like</i>	TGACCAGAACTTAGAGCCATTA	ACTGTGACACGCAGCAAA
<i>LcWIP</i>	TCCTCGTCCCAGTTGTAG	ACCACTTGTCGGTTCTTG
<i>LcRboh</i>	AAAGGGTATGGCAAGATG	AGGATTGAGATGGTGGAG
<i>Class I β-1,3-glucanase</i>	AATGTTGGAGCCTCTTAGTGC	TGCTATTGCTTGGTCTCTTCAT
<i>Citinase</i>	GCTGTCTTGAAGGCAATAACTG	ACCTGGAACACTACAACTATGGAG
<i>β-xylosidase</i>	CCAGGATAGCCAACCCAC	TTGACCAGTCCATAGAAGCAGA
<i>Polygalacturonase</i>	TTTCTGGGCTGGCGAGTT	AAGCATACCTGACCCGATAC
<i>Phenylalanine ammonia lyase</i>	ACAAGTTCAGCAAGATACGA	AGTGTGACAAGGTGTTTACGGC
<i>Cellulose synthase</i>	AATAGCCTGTCTCCAGCCTCT	CACGAACCTGTCAAACCTGCCTT